

Bird Species Checklist

The Birds of Jackson Bottom Wetlands Preserve

This checklist includes 215 species. Domestic, exotic and hybrid species are not included. Forty species have been recorded but are not expected with any regularity.

Some notable changes since the 2009 checklist include: the addition of nesting Osprey and Great Egrets; Lazuli Buntings, once occasional in spring, are now common spring and summer; American White Pelicans, once unexpected, are now rare to uncommon spring, summer and fall; Marsh Wrens, once common are now rare.

Bald eagles began nesting at the Preserve in 2000. A pair has nested here each year since, usually fledging one or two chicks each year. They have built and lost four nests on the Preserve, each one lasting 1 to 8 years before falling. Their fifth nest is just west of the Preserve.

Jackson Bottom is designated an Important Bird Area (IBA) because it provides critical winter resting and feeding habitat for thousands of migratory waterfowl such as Northern Pintail, Cackling Goose, Tundra Swan, Green-winged Teal and many more. It is one of three IBA's in the Tualatin River Watershed.

Over the course of a year one can observe a diversity of raptors, waterfowl, songbirds and shorebirds at the Preserve. Four miles of trails, open dawn to dusk, allow access to wetlands, uplands and riparian habitats. Some trails may be flooded between November and April. A restroom is available during daylight hours at the main parking lot.

Seasons

Spring March through May

Summer June through August

Fall September through November

Winter December through February

Contact:

Jackson Bottom Wetlands Preserve

2600 SW Hillsboro Highway, Hillsboro, OR 97123

Web: [Hillsboro-Oregon.gov/JacksonBottom](https://www.hillsboro-oregon.gov/JacksonBottom)

Phone: 503-681-6206

Geese, Swans, Ducks

Greater White-fronted Goose

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.
Fall Occasional, not present every year in season, but expected from time to time.
Winter Rare, present every year in season but not continuously or difficult to find.

Snow Goose

Winter Rare, present every year in season but not continuously or difficult to find.

Cackling Goose

Spring Common, easily seen in season.
Fall Common, easily seen in season.
Winter Common, easily seen in season.

Canada Goose

Spring Common, easily seen in season.
Summer Common, easily seen in season.
Fall Common, easily seen in season.
Winter Common, easily seen in season.

Trumpeter Swan

Winter Occasional, not present every year in season, but expected from time to time.

Tundra Swan

Spring Rare, present every year in season but not continuously or difficult to find.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Wood Duck

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Common, easily seen in season.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Rare, present every year in season but not continuously or difficult to find.

Gadwall

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Eurasian Wigeon

Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

American Wigeon

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Occasional, not present every year in season, but expected from time to time.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Common, easily seen in season.

Mallard

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Blue-winged Teal

Summer Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Cinnamon Teal

Spring Common, easily seen in season.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Northern Shoveler

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Northern Pintail

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Green-winged Teal

Spring Common, easily seen in season.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Canvasback

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Redhead

Spring Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Ring-necked Duck

Spring Common, easily seen in season.

Summer Occasional, not present every year in season, but expected from time to time.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Tufted Duck

Winter Occasional, not present every year in season, but expected from time to time.

Greater Scaup

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Lesser Scaup

Spring Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Common, easily seen in season.

Bufflehead

Spring Uncommon, usually present through season but low numbers or harder to find.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Common Goldeneye

Spring Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Hooded Merganser

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Common Merganser

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Occasional, not present every year in season, but expected from time to time.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Common, easily seen in season.

Red-breasted Merganser

Spring Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Ruddy Duck

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Occasional, not present every year in season, but expected from time to time.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Pheasant, Quail

Ring-necked Pheasant

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

California Quail

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Grebes, Cormorants, Pelicans

Pied-billed Grebe

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Horned Grebe

Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

Eared Grebe

Fall Occasional, not present every year in season, but expected from time to time.

Western Grebe

Spring Occasional, not present every year in season, but expected from time to time.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

Double-crested Cormorant

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.
Fall Common, easily seen in season.
Winter Common, easily seen in season.

American White Pelican

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Occasional, not present every year in season, but expected from time to time.

Herons, Ibis and Allies

American Bittern

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Occasional, not present every year in season, but expected from time to time.

Great Blue Heron

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Great Egret

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Green Heron

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Occasional, not present every year in season, but expected from time to time.

Black-crowned Night-Heron

Summer Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Vultures, Eagles, Hawks, Falcons

Turkey Vulture

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Osprey

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Rare, present every year in season but not continuously or difficult to find.

Golden Eagle

Spring Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Bald Eagle

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Common, easily seen in season.

Winter Uncommon, usually present through season but low numbers or harder to find.

Northern Harrier

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Occasional, not present every year in season, but expected from time to time.

Winter Uncommon, usually present through season but low numbers or harder to find.

Sharp-shinned Hawk

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Cooper's Hawk

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Red-shouldered Hawk

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Occasional, not present every year in season, but expected from time to time.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Red-tailed Hawk

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Rough-legged Hawk

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

American Kestrel

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Merlin

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Peregrine Falcon

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Rails, Coots, Cranes

Virginia Rail

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Sora

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

American Coot

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Sandhill Crane

Spring Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Shorebirds

Black-bellied Plover

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Semipalmated Plover

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Killdeer

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Dunlin

Spring Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Baird's Sandpiper

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Occasional, not present every year in season, but expected from time to time.

Least Sandpiper

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Pectoral Sandpiper

Fall Rare, present every year in season but not continuously or difficult to find.

Semipalmated Sandpiper

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Occasional, not present every year in season, but expected from time to time.

Western Sandpiper

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Short-billed Dowitcher

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Long-billed Dowitcher

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Common, easily seen in season.

Winter Occasional, not present every year in season, but expected from time to time.

Wilson's Snipe

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Wilson's Phalarope

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Red-necked Phalarope

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Spotted Sandpiper

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Rare, present every year in season but not continuously or difficult to find.

Solitary Sandpiper

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Occasional, not present every year in season, but expected from time to time.

Greater Yellowlegs

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Lesser Yellowlegs

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Gulls, Terns

Bonaparte's Gull

Spring Occasional, not present every year in season, but expected from time to time.

Summer Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Mew Gull

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Ring-billed Gull

Summer Occasional, not present every year in season, but expected from time to time.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Western Gull

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

California Gull

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Occasional, not present every year in season, but expected from time to time.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Herring Gull

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Iceland Gull

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Glaucous-winged Gull

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Caspian Tern

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Occasional, not present every year in season, but expected from time to time.

Doves, Owls, Swifts, Hummingbirds

Rock Pigeon

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Band-tailed Pigeon

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.
Fall Rare, present every year in season but not continuously or difficult to find.

Eurasian Collared-Dove

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Mourning Dove

Spring Common, easily seen in season.
Summer Common, easily seen in season.
Fall Common, easily seen in season.
Winter Uncommon, usually present through season but low numbers or harder to find.

Barn Owl

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

Western Screech-Owl

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

Great Horned Owl

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Barred Owl

Fall Rare, present every year in season but not continuously or difficult to find.

Vaux's Swift

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Uncommon, usually present through season but low numbers or harder to find.

Anna's Hummingbird

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Rufous Hummingbird

Spring Common, easily seen in season.

Summer Uncommon, usually present through season but low numbers or harder to find.

Kingfishers, Woodpeckers, Flycatchers

Belted Kingfisher

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Red-breasted Sapsucker

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

Downy Woodpecker

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Hairy Woodpecker

Spring Occasional, not present every year in season, but expected from time to time.
Summer Occasional, not present every year in season, but expected from time to time.
Fall Occasional, not present every year in season, but expected from time to time.
Winter Occasional, not present every year in season, but expected from time to time.

Northern Flicker

Spring Common, easily seen in season.
Summer Common, easily seen in season.
Fall Common, easily seen in season.
Winter Common, easily seen in season.

Pileated Woodpecker

Spring Rare, present every year in season but not continuously or difficult to find.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

Olive-sided Flycatcher

Spring Occasional, not present every year in season, but expected from time to time.
Summer Occasional, not present every year in season, but expected from time to time.

Western Wood-Pewee

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Rare, present every year in season but not continuously or difficult to find.

Willow Flycatcher

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.

Pacific-slope Flycatcher

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.

Black Phoebe

Spring Occasional, not present every year in season, but expected from time to time.

Summer Occasional, not present every year in season, but expected from time to time.

Fall Rare, present every year in season but not continuously or difficult to find.

Say's Phoebe

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Western Kingbird

Spring Occasional, not present every year in season, but expected from time to time.

Summer Occasional, not present every year in season, but expected from time to time.

Shrikes, Vireos, Jays, Swallows

Northern Shrike

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Hutton's Vireo

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Cassin's Vireo

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Occasional, not present every year in season, but expected from time to time.

Warbling Vireo

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Steller's Jay

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

California Scrub-Jay

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

American Crow

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Common Raven

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Tree Swallow

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Northern Rough-winged Swallow

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Purple Martin

Spring Occasional, not present every year in season, but expected from time to time.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Occasional, not present every year in season, but expected from time to time.

Tree Swallow

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Violet-green Swallow

Spring Common, easily seen in season.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Bank Swallow

Summer Rare, present every year in season but not continuously or difficult to find.

Barn Swallow

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Occasional, not present every year in season, but expected from time to time.

Cliff Swallow

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Chickadees, Nuthatches, Wrens

Black-capped Chickadee

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Chestnut-backed Chickadee

Spring Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Bushtit

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Red-breasted Nuthatch

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

White-breasted Nuthatch

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Brown Creeper

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

House Wren

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Pacific Wren

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Marsh Wren

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Bewick's Wren

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Kinglets, Thrushes, Starlings, Waxwings

Golden-crowned Kinglet

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.
Fall Rare, present every year in season but not continuously or difficult to find.

Ruby-crowned Kinglet

Spring Uncommon, usually present through season but low numbers or harder to find.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Western Bluebird

Spring Occasional, not present every year in season, but expected from time to time.
Fall Occasional, not present every year in season, but expected from time to time.
Winter Occasional, not present every year in season, but expected from time to time.

Swainson's Thrush

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Common, easily seen in season.
Fall Uncommon, usually present through season but low numbers or harder to find.

Hermit Thrush

Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

American Robin

Spring Common, easily seen in season.
Summer Common, easily seen in season.
Fall Common, easily seen in season.
Winter Common, easily seen in season.

Varied Thrush

Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

European Starling

Spring Common, easily seen in season.
Summer Common, easily seen in season.
Fall Common, easily seen in season.
Winter Common, easily seen in season.

American Pipit

Spring Rare, present every year in season but not continuously or difficult to find.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

Cedar Waxwing

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Common, easily seen in season.
Fall Uncommon, usually present through season but low numbers or harder to find.

Warblers, Tanagers

Orange-crowned Warbler

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Occasional, not present every year in season, but expected from time to time.

MacGillivray's Warbler

Spring Occasional, not present every year in season, but expected from time to time.
Summer Occasional, not present every year in season, but expected from time to time.

Common Yellowthroat

Spring Common, easily seen in season.
Summer Common, easily seen in season.
Fall Uncommon, usually present through season but low numbers or harder to find.

Yellow Warbler

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Common, easily seen in season.
Fall Uncommon, usually present through season but low numbers or harder to find.

Yellow-rumped Warbler

Spring Common, easily seen in season.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Black-throated Gray Warbler

Spring Rare, present every year in season but not continuously or difficult to find.
Fall Occasional, not present every year in season, but expected from time to time.

Townsend's Warbler

Summer Rare, present every year in season but not continuously or difficult to find.
Fall Rare, present every year in season but not continuously or difficult to find.

Wilson's Warbler

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Common, easily seen in season.

Yellow-breasted Chat

Spring Occasional, not present every year in season, but expected from time to time.
Summer Occasional, not present every year in season, but expected from time to time.

Western Tanager

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.

New World Sparrows, Grosbeaks, Buntings

Chipping Sparrow

Spring Occasional, not present every year in season, but expected from time to time.

Summer Occasional, not present every year in season, but expected from time to time.

Fox Sparrow

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

Dark-eyed Junco

Spring Rare, present every year in season but not continuously or difficult to find.

Summer Rare, present every year in season but not continuously or difficult to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

White-crowned Sparrow

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Golden-crowned Sparrow

Spring Uncommon, usually present through season but low numbers or harder to find.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

White-throated Sparrow

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Vesper Sparrow

Spring Occasional, not present every year in season, but expected from time to time.

Summer Occasional, not present every year in season, but expected from time to time.

Savannah Sparrow

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Uncommon, usually present through season but low numbers or harder to find.

Song Sparrow

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Lincoln's Sparrow

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Swamp Sparrow

Spring Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Spotted Towhee

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Black-headed Grosbeak

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Rare, present every year in season but not continuously or difficult to find.

Lazuli Bunting

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Rare, present every year in season but not continuously or difficult to find.

Blackbirds, Meadowlarks, Orioles

Yellow-headed Blackbird

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.
Winter Occasional, not present every year in season, but expected from time to time.

Western Meadowlark

Spring Rare, present every year in season but not continuously or difficult to find.
Fall Occasional, not present every year in season, but expected from time to time.
Winter Rare, present every year in season but not continuously or difficult to find.

Bullock's Oriole

Spring Uncommon, usually present through season but low numbers or harder to find.
Summer Uncommon, usually present through season but low numbers or harder to find.

Red-winged Blackbird

Spring Common, easily seen in season.
Summer Common, easily seen in season.
Fall Uncommon, usually present through season but low numbers or harder to find.
Winter Uncommon, usually present through season but low numbers or harder to find.

Brown-headed Cowbird

Spring Common, easily seen in season.
Summer Common, easily seen in season.
Fall Occasional, not present every year in season, but expected from time to time.

Brewer's Blackbird

Spring Rare, present every year in season but not continuously or difficult to find.
Summer Rare, present every year in season but not continuously or difficult to find.
Fall Rare, present every year in season but not continuously or difficult to find.
Winter Rare, present every year in season but not continuously or difficult to find.

Finches, Old World Sparrows

Evening Grosbeak

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

House Finch

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Common, easily seen in season.

Purple Finch

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Occasional, not present every year in season, but expected from time to time.

Winter Rare, present every year in season but not continuously or difficult to find.

Red Crossbill

Spring Occasional, not present every year in season, but expected from time to time.

Summer Occasional, not present every year in season, but expected from time to time.

Fall Occasional, not present every year in season, but expected from time to time.

Winter Occasional, not present every year in season, but expected from time to time.

Pine Siskin

Spring Rare, present every year in season but not continuously or difficult to find.

Fall Rare, present every year in season but not continuously or difficult to find.

Winter Rare, present every year in season but not continuously or difficult to find.

Lesser Goldfinch

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

American Goldfinch

Spring Common, easily seen in season.

Summer Common, easily seen in season.

Fall Common, easily seen in season.

Winter Uncommon, usually present through season but low numbers or harder to find.

House Sparrow

Spring Uncommon, usually present through season but low numbers or harder to find.

Summer Uncommon, usually present through season but low numbers or harder to find.

Fall Uncommon, usually present through season but low numbers or harder to find.

Winter Uncommon, usually present through season but low numbers or harder to find.

The following species have been recorded at Jackson Bottom but are not expected with any regularity.

Acorn Woodpecker
American Tree Sparrow
Barrow's Goldeneye
Bar-tailed Godwit
Black Scoter
Black Tern
Black-necked Stilt
Blue-gray Gnatcatcher
Brown Pelican
Calliope Hummingbird
Clark's Grebe
Common Loon
Common Redpoll
Forster's Tern
Gray Jay
Gyr Falcon
Hudsonian Godwit
Lark Bunting
Leach's Storm Petrel
Mountain Chickadee
Nashville Warbler
Northern Goshawk
Northern Pygmy-Owl
Palm Warbler
Prairie Falcon
Red Phalarope
Ross's Goose
Sanderling
Short-eared Owl
Snowy Egret
Snowy Owl
Tricolored Blackbird